

## Declaration of Performance for Prefabricated Septic Tanks

All prefabricated septic tank units produced at Turley Bros. manufacturing plant, Newry, County Down conform to the requirements of BS EN 12566-1:2016 Small Wastewater Treatment Systems for up to 50 PT

### Part 1: Prefabricated Septic Tanks & S.R.66



7 Corcreechy Road, Sheepbridge, Newry. County Down

BT34 1LP Northern Ireland

Telephone 02830 266421

Fax 02830 250542

E-Mail conor@turleybros.com

- 1 Unique Identification:  
**Prefabricated Septic Tank (concrete): CT-10-1**
  
- 2 Type, batch / or serial number, or other marking for the identification of the construction product in accordance with Article 11:  
**Each unit will be identifiable by a unique identification code.**
  
- 3 Intended use(s):  
**To be used outside buildings for faecal water and organic effluent for a population up to 50 PE**
  
- 4 Manufacturer details:  
**TURLEY BROS  
7 Corcreechy Road,  
Sheepbridge, Newry  
County Down  
BT34 1LP  
Tel: 02830 266421  
Fax: 02830 250542  
Email: conor@turleybros.com**
  
- 5 System of Assessment and verification of constancy of performance of the construction product as set out in CPR, Annex V:  
**System 3**
  
- 6 Factory Production Control assessed by: **RMV Quality Assurance**
  
- 7 Product Type Testing Notified Body: **PIA-SR66-1612-1131**
  
- 8 Declared Performance:  
The declared performance and essential characteristics for each product is attached.

Signed for and on behalf of the manufacturer by:

**Fergal Turley**

\_\_\_\_\_  
Date:



**Turley Bros**

7 Corcreechy Road, Sheepbridge, Newry. County Down  
BT34 1LP Northern Ireland

Conforms to BS EN 12566-1: 2016  
S.R. 66

18  
Prefabricated Septic Tank : CT-10-1  
PIA-SR66-1612-1131

<b>Material</b>	<b>CONCRETE</b>
<b>Hydraulic Efficiency</b>	<b>99.98% (without filter)</b>
<b>Nominal Capacity</b>	<b>3 m<sup>3</sup> (3,314 L)</b>
<b>Watertightness</b>	<b>PASS</b>
<b>Durability</b>	<b>PASS</b>
<b>Reaction to Fire</b>	<b>A1</b>
<b>Structural Behaviour (vertical load test)</b>	<b>PASS (dry ground conditions)</b>